

FARBEN RETAN SM Polymeric Retanning Material

Apperance	: Light yellow, viscous liquid
Chemical Structure	: Styrene-maleic resin
Concentration	:(%)25,0±1,0
pH (%10in water)	: 7,0 - 9,0

PROPERTIES AND APPLICATION

- Farben RETAN SM is perfect for retanning processes where firmness, softness and fullness are required.

- Farben RETAN SM treated skin has a very smooth and elastic appearance on the skin.

- Farben RETAN SM has been found to increase the chromium fixation of the retentions and reduce the chromium salts by 15-20%.

- Compatible with all anionic products. For example, anionic staining, anionic lubrication, vegetable tanning, etc.

-It can be used immediately after neutralization or before or after lubricating.

- When combined with syntan and metallic tanning salts, it increases its fullness and firmness.

Recomended usage rates:

Chromed leather over weight % 1,0 – 3,0

Storage :

In a cool and dry place in original packaging, can be stored for a period of one year. Product must be protected from excessive heat and cold.

Package :

120 kg drums.

Technical information and recommendations contained herein, is reliable, but conditions and methods of use of our products are beyond our control notimply any warranty. We recommend to use to our customer after identified our products and the suitability of proposals of use. Tips on the use of our products be interpreted in terms of encouraging infringement of patent rights of others.